


| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|---|---|---|---|
| PA18-006 | 先進工具及設備 Advanced Tools and Equipment | 信興系統有限公司 Shun Hing Systems Integration Co. Ltd. Tel: 2439 8393 | <p>機械衣</p> <ul style="list-style-type: none"> 機械衣為可配戴機械裝置，可以在穿戴者提舉重物時舒緩腰部負擔。 當穿戴者提舉重物時，移動感應器能協助穿戴者減輕負重力，改善安全。 <p>Powered Wear MODEL-Y</p> <ul style="list-style-type: none"> A wearable device which alleviates burden to wearer's waist when lifting heavy objects. Controlled by motion sensors Helps reduce strain and improves wearer's safety |  |
| PA19-029 | 先進工具及設備 Advanced Tools and Equipment | 喜利得(香港)有限公司 Hilti (Hong Kong) Limited Tel: 8228 8118 | <p>DST 20-CA 牆鋸</p> <ul style="list-style-type: none"> 可自動進行切割工序。 用家可透過無線遙控在遠離施工位置操作牆鋸。 遙控器的屏幕即時顯示切割深度，從而改善安全。 用家只需輸入簡單參數。 牆鋸可提升切割的效能及精準度。 <p>DST 20-CA Wall Saw</p> <ul style="list-style-type: none"> Automates the cutting process. Supports remote-controlled operation at distances away from the work area. Cutting depth displayed on remote controller screen helps improve safety. Requires simple setting of job parameters. Improves cutting efficiency and accuracy in the cutting process. |  |
| PA19-039 | 先進工具及設備 Advanced Tools and Equipment | 現代(國際)棚架設備有限公司 Modern (Int'l) Access & Scaffolding Ltd Tel: 2745 6011 | <p>電動絞剪升降台</p> <p>型號: ALMAC BIBI 1090-BL ELC</p> <ul style="list-style-type: none"> 可以在斜坡或崎嶇地形行走及工作，可大量減少使用傳統棚架工作台因移動位置而需要搭拆的時間。 可在15度的斜坡或崎嶇地形為工人提供安全的工作環境。 <p>Electric Scissor Lift</p> <p>Model: ALMAC BIBI 1090-BL ELC</p> <ul style="list-style-type: none"> Can be driven and working on slope or uneven and rough terrain, saving much time for erection and dismantling of traditional scaffold work platform on inclined surface zone-by-zone. Provides a safe condition for workers even in slopes up to 15 degrees or uneven terrain. |  |
| PA19-040 | 先進工具及設備 Advanced Tools and Equipment | 現代(國際)棚架設備有限公司 Modern (Int'l) Access & Scaffolding Ltd Tel: 2745 6011 | <p>柴油絞剪升降台</p> <p>型號: ALMAC BIBI 1090-BL EVO</p> <ul style="list-style-type: none"> 可以在斜坡或崎嶇地形行走及工作，可大量減少使用傳統棚架工作台因移動位置而需要搭拆的時間。 可在15度的斜坡或崎嶇地形為工人提供安全的工作環境。 <p>Diesel Scissor Lift</p> <p>Model: ALMAC BIBI 1090-BL EVO</p> <ul style="list-style-type: none"> Can be driven and working on slope or uneven and rough terrain, saving much time for erection and dismantling of traditional scaffold work platform on inclined surface zone-by-zone. Provides a safe condition for workers even in slopes up to 15 degrees or uneven terrain. |  |

備註Remarks:

Legend 14 - Locally developed innovations or products

資料僅供參考，請與供應商聯絡了解詳情。For reference only. Please contact respective vendors for details.

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|---|---|--|---|
| PA19-041 | 先進工具及設備 Advanced Tools and Equipment | 現代(國際)棚架設備有限公司 Modern (Int'l) Access & Scaffolding Ltd Tel: 2745 6011 | <p>柴油 / 電動伸縮臂升降台 型號: ALMAC JIBBI 1250 EVO, 1250 ELC, 1670 EVO, 1670 LTH</p> <ul style="list-style-type: none"> 提供更大的覆蓋範圍予工人到達一般難以靠垂直升降抵達的工作地點。 可以在斜坡或崎嶇地形行走及工作·可大量減少使用傳統棚架工作台因移動位置而需要搭拆的時間。 可在15度的斜坡或崎嶇地形為工人提供安全的工作環境。 <p>Diesel / Electric Boom Lift Model: ALMAC JIBBI 1250 EVO, 1250 ELC, 1670 EVO, 1670 LTH</p> <ul style="list-style-type: none"> Provides a wider coverage than scissor platforms to enable workers to reach working areas with access difficulties. Can be driven and working on slope or uneven and rough terrain, saving much time for erection and dismantling of traditional scaffold work platform on inclined surface zone by zone. Provides a safe condition for worker even in slopes up to 15 degrees or uneven terrain. |  |
| PA20-006 | 先進工具及設備 Advanced Tools and Equipment | 百聯有限公司 Plant & Company Limited Tel: 2736 0223 | <p>FASSI 隨車吊機 型號: F820RA.2.28 xhe-dynamic, F1150RA.2.28 xhe-dynamic</p> <ul style="list-style-type: none"> 符合現時歐盟國家標準EN1299的隨車貨車吊機·內置全自動運作模式的力距安全限制器(Safe Load Indicator)。 系統可持續監測及在不同支撐腿伸展或起重情況下實時指示安全工作負荷。 當遇到超載或不安全的操作狀態時·吊機能夠提出安全警示·並會停止操作直至縮減跨度或返回安全操作狀態。 <p>FASSI Hydraulic Truck Crane Model: F820RA.2.28 xhe-dynamic, F1150RA.2.28 xhe-dynamic</p> <ul style="list-style-type: none"> Complies with EN 12999 standard and equipped with a built-in with full-time enabled safe load indicator. Continuously monitors and indicates Safe Working Load at different outrigger extensions or load lifting conditions on a real-time basis. Gives safety alert and stops the crane when overload occurs until it returns to the safe position. |  |
| PA20-026 | 先進工具及設備 Advanced Tools and Equipment | 理大科技及顧問有限公司 PolyU Technology & Consultancy Company Limited Tel: 3400 2711 | <p>BIAVE – 仿生物抗振外骨架裝置</p> <ul style="list-style-type: none"> 為工人使用手提電炮而設·以防患上手臂職業病的裝置。 一個被動式、非線性剛度和減震的系統·可以在不影響效率或增加操作複雜性的情況下·大幅減低由手提工具對工人手臂引致的震動。 <p>BIAVE – Bio-Inspired Anti-Vibration Exoskeleton</p> <ul style="list-style-type: none"> Designed for workers using handheld breakers to prevent hand-arm occupational diseases. A passive, non-linear stiffness and damping system which can significantly suppress the vibration transmissibility from vibrating tools to operators without affecting efficiency nor increasing handling complexity. |  |

備註Remarks:

Legend 14 - Locally developed innovations or products

資料僅供參考·請與供應商聯絡了解詳情·For reference only. Please contact respective vendors for details.

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|---|--|---|---|
| PA20-051 | 先進工具及設備 Advanced Tools and Equipment | 喜利得(香港)有限公司 Hilti (Hong Kong) Limited Tel: 8228 8118 | <p>喜利得電鑿TE 3000-AVR</p> <ul style="list-style-type: none"> 一款混凝土拆卸電鑿。 配備減少震盪技術，拆卸大型混凝土時可節省工人體力勞動及提升生產力。 <p>Hilti Breaker TE 3000-AVR</p> <ul style="list-style-type: none"> A breaker for concrete demolition. Equipped with Active Vibration Reduction technology which reduces worker's effort and increase productivity in heavy demolition. |  |
| PA20-052 | 先進工具及設備 Advanced Tools and Equipment | 厚信環保建材有限公司 Houston Environmental Materials Co. Limited Tel: 2554 1005 | <p>納米塗層隔熱反光衣</p> <ul style="list-style-type: none"> 由納米金屬塗層聚脂網紗製成。 透過反射陽光，反光衣可減低工人在陽光直接照射下的體溫上升。 網紗設計便利通風。 <p>Heat Shielding Reflective Vest with Nano Coating Technology</p> <ul style="list-style-type: none"> Made with the nano-metal coated polyester net. Helps reduce wearer's body temperature rise under direct sunlight exposure by reflecting the sunlight. Netting design allows for proper ventilation. |  |
| PA20-063 | 先進工具及設備 Advanced Tools and Equipment | 天祥工業設備有限公司 Sky Well Industrial Equipment Company Limited Tel: 3990 6999 | <p>高龍牌裝車起重機 240000AX E系列</p> <ul style="list-style-type: none"> 備有Control system level 6 (2016)的隨車式起重機。 系統可顯示負載重量的計算值及所有工作的參數。 起重機可承受能力會因應旋轉角度、延伸臂的位置及平衡等因素持續更新。 <p>Cormach Truck Mounted Crane 240000AX E series</p> <ul style="list-style-type: none"> A truck mounted crane equipped with Control system level 6 (2016). Capable of showing on display calculated value of lifted load and all key working parameters. Crane's permitted lifting capacity is continuously determined according to the rotation angle, the outriggers positions and the action of the counterweight. |  |
| PA20-107 | 先進工具及設備 Advanced Tools and Equipment | Elebia Autohooks S.L.U. Website: https://elebia.com/ | <p>Elebia Evo 自動吊鉤</p> <p>型號: Evo2, Evo5, Evo10, Evo10 Compact, Evo20, Evo25</p> <ul style="list-style-type: none"> 吊鉤可遙控關閉，或通過傳感器動關閉。 配備負載傳感器，顯示吊鉤的荷重、位置及負載水平對齊狀況。 可通過 eMax遙控器收集吊鉤的數據，進行數據分析或建築信息模擬。 <p>Elebia Evo Automatic Hook</p> <p>Model: Evo2, Evo5, Evo10, Evo10 Compact, Evo20, Evo25</p> <ul style="list-style-type: none"> The hook can be closed by remote control, or self-closed as assessed by the sensor. Equipped with a load sensor indicating the lifting load, its position and the load horizontal alignment. The "eMax" remote control gathering the information of the hook for data analysis or BIM modelling. |  |

備註Remarks:

Legend 14 - Locally developed innovations or products

資料僅供參考，請與供應商聯絡了解詳情。For reference only. Please contact respective vendors for details.

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|---|--|---|---|
| PA20-109 | 先進工具及設備 Advanced Tools and Equipment | 利勃海爾(香港)有限公司 Liebherr (HKG) Limited Tel: 3142 3142 | <p>利勃海爾移動式起重機 型號: LTM1060-3.1, LTM1230-5.1, LTF1060-4.1, LTM 1120-4.1, LTM 1150-5.3</p> <ul style="list-style-type: none"> 配備了“Vario Base”專利AI技術的移動式起重機。 起重機可以實時監測並顯示起重機在不同支撐腿伸展或起重條件下的安全工作負荷。 起重機會在超載時發出警告並自動停止吊運，直至它返回安全操作狀態。 <p>Liebherr Mobile Crane Model: LTM1060-3.1, LTM1230-5.1, LTF1060-4.1, LTM 1120 4.1, LTM 1150-5.3</p> <ul style="list-style-type: none"> A mobile crane equipped with a patented AI technology "Vario Base". Continuously monitor and indicate the Safe Working Load at variable supporting or load lifting conditions on a real-time basis. Further to warning alert, the crane will automatically stop when overload occurs until it returns to safe position. |  |
| PA20-113 | 先進工具及設備 Advanced Tools and Equipment | 中陞工程有限公司 China Ascent Engineering Limited Tel: 3173 2722 | <p>Palfinger 隨車吊機 型號: PK 37.002 TEC 7, PK 92002 SH, PK 110002 SH, PK 65002 SH</p> <ul style="list-style-type: none"> 此液壓隨車式起重機，具有P型材，高性能穩定控制裝置 (HPSC) · HPSC-Plus LOAD功能和P-FOLD等功能。 HPSC系統的主要優點在於它可以在不同的支撐腿伸展和起重臂伸展條件下實時地感測安全工作負荷。 <p>Palfinger Hydraulic Truck Mounted Crane Model PK 37.002 TEC 7, PK 92002 SH, PK 110002 SH, PK 65002 SH</p> <ul style="list-style-type: none"> This hydraulic truck-mounted crane has features such as P- Profile, High Performance Stability Control (HPSC), HPSC- Plus LOAD function and P-FOLD. Major merits of HPSC system enable real-time Safe Working Load detection at different stabilizer extensions and lifting boom outreach conditions. |  |
| PA20-115 | 先進工具及設備 Advanced Tools and Equipment | 善樂國際(香港)有限公司 Sanroc International (Hong Kong) Limited Tel: 2881 1110 | <p>Jekko 迷你吊機 型號: SPX424 CDH, SPX424 C+</p> <ul style="list-style-type: none"> 吊運用的微型起重機 具有五個主要功能：(i) 可擴展的履帶 · (ii) 數碼無線電控制 · (iii) 自動穩定性控制系統 · (iv) 不同的配件即插即用控制系統 · (v) J Connect遠程和實時起重機監控軟件(選擇性功能)。 五個功能使起重機的移動更加精確 · 吊裝操作更安全。 <p>Jekko Mini Crane Model: SPX424 CDH, SPX424 C+</p> <ul style="list-style-type: none"> A mini crane for lifting operation Equipped with 5 key features: (a) extendable crawler tracks, (b) digital-multi-proportional remote radio control, (c) automatic stability control, (d) plug and play system control to attach different accessories, and (e) remote and real time crane monitoring using an optional software J-Connect. 5 features enable more precise movement and safer lifting operation of the crane. |  |

備註Remarks:

Legend 14 - Locally developed innovations or products

資料僅供參考 · 請與供應商聯絡了解詳情 · For reference only. Please contact respective vendors for details.

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|---|---|---|---|
| PA20-121 | 先進工具及設備 Advanced Tools and Equipment | 大眾機械設備有限公司 Folks Machinery and Equipment Limited Tel: 2649 9282 | <p>Effer隨車吊機 型號: 525/4S, 525/6S, 525/8S, 685/6S, 685/8S, 685/9S, 955/6S, 955/8S, 955/9S, 1255/6S, 1255/8S, 1255/9S</p> <ul style="list-style-type: none"> 配備了穩定控制系統 (Progress 2.0) · 可以實時監測並顯示起重機在不同支撐腿延伸狀態或起重條件下的安全工作負荷。 <p>Effer Truck Mounted Crane Model: 525/4S, 525/6S, 525/8S, 685/6S, 685/8S, 685/9S, 955/6S, 955/8S, 955/9S, 1255/6S, 1255/8S, 1255/9S</p> <ul style="list-style-type: none"> Equipped with Stability Control System (Progress 2.0), which continuously monitor and indicate the Safe Working Load at different outrigger extensions or load lifting conditions on a real-time basis. |  |
| PA20-129 | 先進工具及設備 Advanced Tools and Equipment | 大眾機械設備有限公司 Tai Chung Hydraulic Eng. Co. Ltd. Tel: 2443 5592 | <p>F.lli FERRARI 隨車吊機 型號: 990</p> <ul style="list-style-type: none"> 符合EN12999標準的貨車起重機 · 包括全時啟用的安全負載指示器。 內置的穩定控制系統可針對不同的支撐腿延伸狀態 · 實時檢測和顯示安全操作負荷 (SWL) 。 <p>F.lli Ferrari Hydraulic Truck Mounted Crane Model: 990</p> <ul style="list-style-type: none"> Complies with EN 12999 standard and equipped with full-time enabled safe load indicator. Built-in Stability Control System enables real-time sensing and indication of the Safe Working Load (SWL) for different outrigger extension conditions. |  |
| PA20-132 | 先進工具及設備 Advanced Tools and Equipment | 麥記國際香港有限公司 Mak Kee International HK Ltd. Tel: 2396 4107 | <p>麥士索</p> <ul style="list-style-type: none"> 最大工作負荷可達227噸的合成纜吊索。 具有3個安全功能 · 1) 'Check Fast' 檢查系統 ; 2) 光纖檢查 ; 和 3) Rifled 索芯捲扎技術。 <p>Slingmax</p> <ul style="list-style-type: none"> A synthetic lifting sling with a maximum working load up to 227 tonnes. Equipped with 3 safety features: 1) 'Check Fast' Inspection System, 2) Fiber Optic Inspection, and 3) Rifled Cover Technology. |  |
| PA20-134 | 先進工具及設備 Advanced Tools and Equipment | 好時機械(中國)有限公司 Houston Machinery (China) Co. Ltd Tel: 2241 9627 | <p>日本制加藤越野吊機 型號: SL700R</p> <ul style="list-style-type: none"> 越野起重機適合在特殊的工作條件下使用 · 例如狹窄的工作場地或進出道路和工地條件需要更高的提升高度。 具有語音警報 (ACS) 的自動起重機系統是一種計算機監視系統 · 可以控制主吊臂 · 副臂或懸臂支架 · 以防止人為輸入錯誤。 ACS系統可自動實時檢測和顯示不同的支撐腿延伸狀況及起重條件下的安全操作負荷 (SWL) · 以策安全。 <p>Kato Rough Terrain Crane Model: SL700R</p> <ul style="list-style-type: none"> Suitable for use in special working conditions, such as narrow work site and access road requiring lifting condition to greater height. The Automatic Crane System with voice alarm (ACS), a computer monitoring system, can control the main boom, fly jib or outrigger to prevent human input errors. |  |

備註Remarks:

Legend 14 - Locally developed innovations or products

資料僅供參考 · 請與供應商聯絡了解詳情 · For reference only. Please contact respective vendors for details.

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|---|--|---|---|
| | | | <ul style="list-style-type: none"> ACS can automatically calculate and display the Safe Working Load (SWL) at different strokes of outriggers, and the main boom, fly jib at different angles on a real-time basis to enhance safety. | |
| PA21-004 | 先進工具及設備 Advanced Tools and Equipment | 蘇豪機械及車身工程有限公司 SOHO Mechanical Engineering Company Limited Tel: 6565 0686 | <p>意大利全方位隨車安全吊機 型號：PM150SP, PM58526SP, PM58529SP, PM65029SP, PM100029SP</p> <ul style="list-style-type: none"> 配備穩定控制系統的隨車式起重機。該系統是由全天候安全負重指示器組成。 系統可持續監測及在不同支撐腿伸展或起重情況下實時指示安全工作負荷。 <p>Italy Comprehensive Loader Crane Model: PM150SP, PM58526SP, PM58529SP, PM65029SP, PM100029SP</p> <ul style="list-style-type: none"> Equipped with Stability Control System, which consists of a full-time enabled safe load indicator. System can monitor continuously and indicate the Safe Working Load at different outrigger extensions or load lifting conditions on a real-time basis. |  |
| PA21-007 | 先進工具及設備 Advanced Tools and Equipment | 三洋車行 Sanyo Motors Tel: 2390 0433 | <p>高馬吊機 型號: 1150.8J6, 1150.10, 2000.9, 820.8, 950.9, 510.8, 650.8, 510.6, 650.6, 360.4, 360.6</p> <ul style="list-style-type: none"> 配備穩定控制系統的液壓隨車式起重機。 系統可持續監測及在不同支撐腿伸展或起重情況下實時指示安全工作負荷。 <p>Copma hydraulic truck-mounted crane Model: 1150.8J6, 1150.10, 2000.9, 820.8, 950.9, 510.8, 650.8, 510.6, 650.6, 360.4, 360.6</p> <ul style="list-style-type: none"> A hydraulic truck-mounted crane equipped with Stability Control System System can monitor continuously and indicate the Safe Working Load at different outrigger extensions or load lifting conditions on a real-time basis. |  |
| PA21-020 | 先進工具及設備 Advanced Tools and Equipment | 佰迪科技有限公司 PD Technologies Limited Tel: 3695 0998 | <p>BATCAM2.0 超聲波成像儀</p> <ul style="list-style-type: none"> 為超聲波及聲學相機。用以確定氣體洩漏、電氣故障及機械狀況。 聲音的實時視像化有助於識別不同的工業情況。 用戶可憑聲音圖像準確找到噪音和難以察覺的超聲波噪音。 <p>BATCAM2.0 Ultrasonic Sound Camera</p> <ul style="list-style-type: none"> An ultrasonic and acoustic sound camera for locating gas leakage, electric faults and mechanical issues. Real-time visualisation of sound help identify various industrial conditions. Sound imagery allows users to pinpoint both audible and ultrasonic noises that are hard to detect. |  |
| PA21-022 | 先進工具及設備 Advanced Tools and Equipment | 喜利得(香港)有限公司 Hilti (Hong Kong) Limited Tel: 8228 8118 | <p>人體外骨骼裝置EXO-01</p> <ul style="list-style-type: none"> 非電池供電。可穿著的上半身外骨骼裝置。 穿上後。裝置為手臂增添力量。支撐提舉過頭的工作。 <p>EXO-01</p> <ul style="list-style-type: none"> A wearable non-battery powered upper body exoskeleton focused on overhead applications. Applies a force to the wearer's arms to support overhead work. |  |

備註Remarks:

Legend 14 - Locally developed innovations or products

資料僅供參考。請與供應商聯絡了解詳情。For reference only. Please contact respective vendors for details.

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|---|--|---|---|
| PA21-038 | 先進工具及設備 Advanced tools and equipment | 致圖有限公司 Digital G Limited Tel: 9202 5335 | <p>Focuslite Ear-Defender (只有英文名稱)</p> <ul style="list-style-type: none"> 頭戴式聽覺保護設備，通過監測入耳及環境音量至合適水平來保護用家。 設有自動化環境噪音監察，收集所得的聽感及環境噪音水平資料可以在網上平台查看。 <p>Focuslite Ear-Defender</p> <ul style="list-style-type: none"> An over-ear hearing protection device with hear-through technology and noise reduction capability through monitoring of both exposed and environmental noises. Collected individual and environmental noise level data can be viewed on the online platform. |  |
| PA22-024 | 先進工具及設備 Advanced Tools and Equipment | 利勃海爾(香港)有限公司 Liebherr (HKG) Limited Tel: 31423151 | <p>利勃海爾全方位液壓開鑿挖掘機 型號: A922 Rail, R924 Tunnel, R950 Tunnel, R950 Demolition, R920, R924, R930, R944C, R945, R966, R976</p> <ul style="list-style-type: none"> 配備 LIKUFIX 液壓快速接頭系統，令在駕駛室更換機械和液壓工作工具更為安全。 透過搭配不同的挖掘機液壓機具，產品適用於隧道開鑿、挖掘、破碎拆卸等工程。 配合高性能靜液壓傳動系統，可有效地降低油耗。 挖掘機後方設有3D立體攝像機，可以區分人與物，系統會向操作員發出在顯示幕上發出警示和聲音警報。 <p>Liebherr Holistic Hydraulic Digging Excavator Model: A922 Rail, R924 Tunnel, R950 Tunnel, R950 Demolition, R920, R924, R930, R944C, R945, R966, R976</p> <ul style="list-style-type: none"> Equipped with the LIKUFIX Hydraulic Quick Coupling System, which allows safer replacement of mechanical and hydraulic work tools inside the control cabinet. By combining with different excavator hydraulic tools, the product is applicable for tunnel excavation, excavation, crushing and dismantling and other projects. Effectively reduce fuel consumption with high-performance hydrostatic transmission system. 3D camera installed at the back of excavator can distinguish between people and objects. Warnings and audible alarms will be issued to operator on display screen. |  |
| PA22-029 | 先進工具及設備 Advanced Tools and Equipment | Shing Fung Engineering & Equipment Ltd Tel : 27922176 | <p>Tadano Aerial Work Platform CG-Series (Articulating Type) (只有英文名稱) Model: AT-300CG-2 / AT-255CG-1 / AT-157CG-1</p> <ul style="list-style-type: none"> 配備安全裝置車載高空作業平台，適用於一些難以抵達的地方。 配備自動力矩限制器 (AMC) 安全功能和動臂狀況監測系統。 內置的自動歸位裝置和垂直/水平移動裝置使操作員只需簡單操作即可完成所需的移動，從而降低人為錯誤的風險。 <p>Tadano Aerial Work Platform CG-Series (Articulating Type) Model: AT-300CG-2 / AT-255CG-1 / AT-157CG-1</p> <ul style="list-style-type: none"> A truck-mounted aerial platform equipped with safety devices to provide temporary access for people to reach areas difficult to access. Equipped with automatics moment limiter (AMC) safety feature and boom profile monitor system. Built-in automatic home device and vertical/horizontal movement device allows operator to complete the required movement with just ONE button/lever, thus |  |

備註Remarks:

Legend 14 - Locally developed innovations or products

資料僅供參考，請與供應商聯絡了解詳情。For reference only. Please contact respective vendors for details.

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|---|---|--|---|
| | | | reducing the risk of human error. | |
| PA22-030 | 先進工具及設備 Advanced Tools and Equipment | Shing Fung Engineering & Equipment Ltd Tel : 2792 2176 | <p>Tadano Work Platform TG-Series (Telescopic Type) (只有英文名稱) 型號: AT-270TG / AT-220TG / AT-170TG</p> <ul style="list-style-type: none"> 配備安全裝置車載伸縮式高空作業平台，適用於一些難以抵達的地方。 配備自動力矩限制器 (AMC) 安全功能和動臂狀況監測系統。 內置的自動歸位裝置和垂直/水平移動裝置使操作員只需簡單操作即可完成所需的移動，從而降低人為錯誤的風險。 <p>Tadano Work Platform TG-Series (Telescopic Type) Model: AT-270TG / AT-220TG / AT-170TG</p> <ul style="list-style-type: none"> A truck-mounted telescopic aerial platform equipped with safety devices to provide temporary access for people to reach areas difficult to access. Equipped with automatics moment limiter (AMC) safety feature and boom profile monitor system. Built-in automatic home device and vertical/horizontal movement device allows operator to complete the required movement with just ONE button/lever, thus reducing the risk of human error. |  |
| PA19-002 | 自動化及機械人技術 Automation and Robotics | 高仕洋行有限公司 C. Crossfield & Co., Ltd Tel: 2753 8500 | <p>"布洛克"多功能破拆機器人 型號: B60, B70, B110, B170, B200, B300, B500, B800S</p> <ul style="list-style-type: none"> 比傳統挖土機輸出高達五倍。 小巧機身能令機械輕鬆進入狹窄空間及上落梯級。 拆卸機械可以遙距控制並以電力推動。 最小型號B60可取代3-5人的人手打鑿效率。 避免工人曝露於廢氣和高強度振動，並遠離危險區域。 <p>Brokk Demolition Robots Model: B60, B70, B110, B170, B200, B300, B500, B800S</p> <ul style="list-style-type: none"> Outperforms existing excavators five times as its size. Compact size facilitates accessibility in confined locations like narrow spaces and stairs. Remote controlled and electric driven. Smallest model B60 can replace manual method of 3 to 5 workers with jackhammers Workers are protected against high vibrations, exhausted fumes and hidden site dangers. |  |
| PA19-011 | 自動化及機械人技術 Automation and Robotics | 奧馬迪機器人有限公司 O-matic Intelligent Robot Limited Tel: 3705 2998 | <p>運輸機器人</p> <ul style="list-style-type: none"> 以無線控制和電池驅動。 可在不同路況的建築工地運送建築物料或工具。 可取替人手處理及搬運重型物件，減低工傷風險及提升工作效率。 <p>Transbot</p> <ul style="list-style-type: none"> Wireless controlled and battery-operated. Capable of carrying construction materials/tools around construction sites with different terrain conditions. Capable of replacing manual handling operation in delivery and unloading of heavy items, thereby reducing safety hazards to labours and increase work efficiency. <p>圖例 Legend: 14</p> |  |

備註Remarks:

Legend 14 - Locally developed innovations or products

資料僅供參考，請與供應商聯絡了解詳情。For reference only. Please contact respective vendors for details.

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|--------------------------------------|--|---|---|
| PA19-012 | 自動化及機械人技術 Automation and Robotics | 中國路橋工程有限責任公司 China Road and Bridge Corporation Tel: 6483 6280 | <p>超高壓水泵拆卸機械人</p> <ul style="list-style-type: none"> 以柴油推動和支援遙控操作。 適用於拆除混凝土。 可準確移除混凝土而不破壞加固鋼筋、並在粗糙不平的表面為維修物料提供黏合作用。 操作期間亦可減低對周遭建築物的震動和顯著減少透過建築物傳送的聲音。 可節省人手和減少工人受傷的機會。 <p>Aquajet Aqua Cutter 710H 710H</p> <ul style="list-style-type: none"> Diesel-driven and wireless controlled. Applicable for concrete demolition. Accurately removes concrete with steel reinforcement undamaged and it provides excellent bond for repair materials in rough and irregular surface. Reduces vibrations created to the surrounding structures during operation and significantly reduce transmitted sound through the structures. Helps save manpower and minimise work injuries. |  |
| PA19-030 | 自動化及機械人技術 Automation and Robotics | 保華建業(香港)有限公司 Paul Y. Engineering (H.K.) Limited Tel: 2831 8338 | <p>自動批盪機TUPO</p> <ul style="list-style-type: none"> 以遙控操作，將水泥漿放到機器上便會自動完成由地面3米(220V 1型號)至6米(380V 3型號)高的批盪工序。 可減少高空工作的需要。 標準自動化的批盪工序可改善批盪質素 自動批盪機可進行較闊範圍的批盪，從而提高生產力。 <p>Automatic Wall Plastering Machine TUPO</p> <ul style="list-style-type: none"> Operates on remote-controlled basis and applies cement sand plaster automatically to wall up to 6m high (380V 3 Phase model) or up to 3m high (220V 1 Phase model). Eliminates the need for working at height Improves quality by standardizing the plastering process automatically, Allows wider surface of application and increases productivity. |  |
| PA19-038 | 自動化及機械人技術 Automation and Robotics | 奧馬迪機器人有限公司 O-matic Intelligent Robot Limited Tel: 3705 2998 | <p>噴塗機械人</p> <ul style="list-style-type: none"> 配備了噴塗器和六軸協作式的機械臂的噴塗機械人，可在建築工地進行各種不同的噴塗工作。 無線遙控的無人駕駛車輛可將機械人帶到需要噴塗的附近位置，機械人便可按照預設軌跡移動噴塗工具進行工作。 噴塗機械人有助減低工人吸入塗料的有害物質。 <p>Paintbot</p> <ul style="list-style-type: none"> Equipped with a spraying tool and a 6-axis mechanic arm. It can maneuver at construction sites to handle different painting jobs. The unmanned ground vehicle with wireless remote control can move Paintbot into close proximity to painting areas, enabling it to spray paint following the programmed trajectory. Helps keep workers away from potentially harmful inhalants. |  |

備註Remarks:

Legend 14 - Locally developed innovations or products






資料僅供參考，請與供應商聯絡了解詳情。For reference only. Please contact respective vendors for details.

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|--------------------------------------|---|---|---|
| PA20-019 | 自動化及機械人技術 Automation and Robotics | 隆豐機械工程有限公司 Robinson Equipment Limited Tel: 2543 7008 | <p>Wienold-LIFTE物料提舉設備 型號: GML-C/600, GML-C/800, MFC750</p> <ul style="list-style-type: none"> 一款平衡重物及以電動遙控操作的設備，用以提起玻璃及物料等重物進行安裝。 設備輕巧及備有不同安全運作負載量及起重高度。 避免使用吊環螺栓及鏈式吊索，從而改善提重物料的生產力及安全性。 <p>Wienold-LIFTE Material Lift Model: GML-C/600, GML-C/800, MFC750</p> <ul style="list-style-type: none"> A counterbalanced and electrically driven device with remote control for raising loads for glass and material installation. Compact and equipped with different Safe Working Loads and lifting heights. Eliminates the need for using eye bolts and chain blocks, thus improving productivity and safety in material lifting. |  |
| PA20-022 | 自動化及機械人技術 Automation and Robotics | Transforma Robotics Ptd Ltd Tel: +65 65702669 | <p>PICTOBOT</p> <ul style="list-style-type: none"> 一款智能流動機械人，可自行掃描、計劃及噴塗樓宇內部。 減低工人因從事高空工作及吸入塗料有害物質的風險。 <p>PICTOBOT</p> <ul style="list-style-type: none"> An intelligent mobile robot that autonomously scans, plans and paints interior of buildings. Reduces risk of work injuries arising from working at height and exposure to potentially harmful inhalants. |  |
| PA20-035 | 自動化及機械人技術 Automation and Robotics | 嘉模國際有限公司 Karmo International Company Limited Tel: 2362 4843 | <p>Apollo 高高車</p> <ul style="list-style-type: none"> 一輛於工地運載物料的遙控電動車。 可減輕工人搬運重物的工作，於建造過程中提升生產力及改善安全。 <p>Apollo Go Go Trolley</p> <ul style="list-style-type: none"> A remote-controlled and electric-powered trolley for delivery of materials in construction sites. Reduces manual handling of heavy loads to enhance productivity and safety during construction process. |  |
| PA20-135 | 自動化及機械人技術 Automation and Robotics | 必飛科技有限公司 B-free Technology Limited Tel: 3704 7069 | <p>全地形貨運機器人</p> <ul style="list-style-type: none"> 可幫助建築工人在包括樓梯在內的不同地形運輸物件的遙控電動車輛。 <p>Haulerbot</p> <ul style="list-style-type: none"> A remote-controlled and electrically-powered vehicle that facilitates construction workers to transport objects in all-terrain including staircase. <p>圖例 Legend: 14</p> |  |
| PA21-035 | 自動化及機械人技術 Automation and robotics | 奧馬迪機器人有限公司 O-matic Intelligent Robot Limited Tel: 3705 2998 | <p>通用服務機器人3.0</p> <ul style="list-style-type: none"> 以電力驅動的無線遙控無人駕駛車輛。 可用於工地運送材料或工具。 <p>Universal Service Vehicle 3.0</p> <ul style="list-style-type: none"> A wireless remote-controlled battery-operated Universal Service Vehicle (USV). Supports onsite transportation of materials/ tools. |  |

備註Remarks:

Legend 14 - Locally developed innovations or products

資料僅供參考，請與供應商聯絡了解詳情。For reference only. Please contact respective vendors for details.

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|--------------------------------------|---|---|---|
| PA21-036 | 自動化及機械人技術 Automation and robotics | 安百拓香港有限公司 Epiroc Hong Kong Limited Tel: 2488 0103 | <p>Diamec Smart8 (只有英文名稱)</p> <ul style="list-style-type: none"> 經驗較淺的操作員也可操作的自動岩心鑽探機以進行深孔鑽探。 設有安全控制板及全自動鑽桿裝卸系統，可遠距離操作鑽探機和裝卸鑽桿，改善安全情況。 <p>Diamec Smart8</p> <ul style="list-style-type: none"> A core drilling rig for automatic deep-hole exploration drilling which can be operated by less experienced drillers. With safety control panel and automatic 'Rod Handling System', the driller can operate the machine and handle the rods from a distance, which improves safety. |  |
| PA21-040 | 自動化及機械人技術 Automation and Robotics | BAUER Equipment HK Limited Tel: 2544 9613 | <p>Klemm hydraulic handling attachment type (只有英文名稱) 型號: HBR120-E2V-350</p> <ul style="list-style-type: none"> 可安裝在5公噸重以上的挖土機上的配置，用作搬運鑽桿及鑽通用途。 <p>Klemm hydraulic handling attachment type Model: HBR120-E2V-350</p> <ul style="list-style-type: none"> A hydraulic/ mechanic handling system for casings and drill rods as an attachment kit for excavators of over 5 tonne in weight. |  |
| PA21-043 | 自動化及機械人技術 Automation and robotics | 奧馬迪機器人有限公司 O-matic Intelligent Robot Limited Tel: 3705 2998 | <p>打鑿機器人</p> <ul style="list-style-type: none"> 可編程序、以遙控器操作的電動打鑿機械人。 具備自動停止功能，提升運作安全。 充電4小時後可連續運作8小時。 <p>Jackbot</p> <ul style="list-style-type: none"> A programmable battery-operated demolition and chiseling robot with remote control. Equipped with automatic stop function to enhance safety 4-hours charging can support continuous operation up to 8 hours. |  |
| PA22-004 | 自動化及機械人技術 Automation and Robotics | O-Matic Intelligent Robot Limited Tel: 3705 2998 | <p>Paintbot (可調節) (只有英文名稱)</p> <ul style="list-style-type: none"> 可遙控及編程控制的噴塗機械人，由噴塗器、十二軸機械臂及移動車架所組成。 機械人可按照預設軌跡移動噴塗工具進行牆壁或天花噴塗。 當機械人偵測到1米半徑內的非透明物件，便會停止運作，確保工人安全。 <p>Paintbot (adjustable)</p> <ul style="list-style-type: none"> A remote-controlled and programmable paint spraying robot equipped with 12-axis robotic arm mounted on universal service vehicle (USV). Suitable for wall or ceiling painting. Automatically stop moving on detection of non-transparent objects within 1m radius to enhance safety. |  |
| PA21-024 | 數碼化 Digitalisation | Letsapp Limited Tel: 5225 4679 | <p>火衛者應用程序</p> <ul style="list-style-type: none"> 以雲端為本的火警監控平台。 出現火警及 / 或煙霧時，流動應用程式會通知用戶。 <p>FireWatcher Fire Alarm Web Application</p> <ul style="list-style-type: none"> A cloud-based fire alarm system monitoring platform. Alerts users of occurrences of fire and/or smoke through mobile application. |  |

備註Remarks:

Legend 14 - Locally developed innovations or products




資料僅供參考，請與供應商聯絡了解詳情。For reference only. Please contact respective vendors for details.

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|----------------------------|---|--|---|
| PA21-039 | 數碼化 Digitalisation | 思科創意有限公司 Ideas & Technology Company Limited Tel: 9313 6043 | <p>ACE風險評估應用程式</p> <ul style="list-style-type: none"> 用以進行風險評估的流動應用程式。 支援項目團隊在電子平台上分享相關資訊。 <p>Risk Assessment Conduct Everywhere (RACE) Mobile App</p> <ul style="list-style-type: none"> A mobile app to carry out risk assessment effectively. Support project team to share relevant information on electronic platform. <p>圖例 Legend: 14</p> |  |
| PA18-007 | 傳感器及物聯網 Sensors and IoT | 安樂科技工程有限公司 ATAL Technologies Limited Tel: 9488 0410 | <p>興建中的隧道人流管理系統</p> <ul style="list-style-type: none"> 系統使用了無線射頻識別技術和第三代行動通訊技術的專門軟件 有助於實時安全監察人力資源及意外管理的系統 <p>Construction Stage Tunnel Access Control System (TACS)</p> <ul style="list-style-type: none"> Incorporates RFID Technology, 3G telecommunication, custom-designed software Used for real-time safety monitoring of on-site human resources and incident management. <p>圖例 Legend: 14</p> |  |
| PA18-032 | 傳感器及物聯網 Sensors and IoT | 緯衡科技有限公司 VHSoft Technologies Co. Ltd Tel: 2619 8034 | <p>視覺智能安全符合監測系統</p> <ul style="list-style-type: none"> 系統由感應器及感應技術組成 配合人工智能技術及最新的電訊科技，系統可提供解決方案以符合安全的需要。 系統利用特製鏡頭如閉路電視般監測工地，可偵測工人是否符合安全準則。 系統亦會檢查所需的安全設備是否齊全，同時透過電訊網絡傳送訊息予地盤安全主任。 <p>Visual Intelligence Safety Compliance Monitor (VISCMon) system</p> <ul style="list-style-type: none"> Comprises with sensor and sensing technologies. Provides a solution to meet the needs on safety in collaboration with artificial intelligence technologies and the latest telecommunication technologies. Specialized cameras operate like the CCTV system - monitor workers and check compliance with safety standards. Alert message will be sent to site safety officer via telecommunication network when required safety gear is not detected. |  |
| PA19-031 | 傳感器及物聯網 Sensors and IoT | 點子建有限公司 Beeinventor Limited Tel: 9757 2952 | <p>物聯網智能安全帽連雲端平台</p> <ul style="list-style-type: none"> 追蹤及確定工人在戶外及室內位置的系統，亦能在雲端管理平台上以三維建築信息模擬形象化工人位置。 實時監測可有效改善工地監督及管理。 心率傳感器及體溫傳感器遇到異常讀數時，會即時透過短訊發出警報。 加速度計可偵測意外下墮及靜止情況以便作出適時跟進。 用戶亦可按下呼救按鈕在緊急情況下求救。 此系統亦能提供碰撞警報予工人以免受傷。 <p>Dasloop IoT Smart Helmet with Cloud Based Management Platform</p> <ul style="list-style-type: none"> Track and locate workers in both outdoor and indoor environment. Information can be visualised in 3D BIM model in the cloud based management platform. |  |

備註Remarks:

Legend 14 - Locally developed innovations or products

資料僅供參考，請與供應商聯絡了解詳情。For reference only. Please contact respective vendors for details.

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|----------------------------|---|--|---|
| | | | <ul style="list-style-type: none"> Real- time monitoring could improve the efficiency in site supervision and management. Heartbeat rate and body temperature sensors can provide instant alert through SMS if abnormal readings are detected. Accelerometer sensor can detect accidental fall and motionless conditions so that quick actions could be taken. Users can also press panic button to call for help in emergency. Collison warning can also be given to workers to minimize injuries. <p>圖例 Legend: 14</p> | |
| PA19-045 | 傳感器及物聯網 Sensors and IoT | 佳智能有限公司 Customindz Limited Tel: 9125 3390 | <p>建築工地人工智能計算機視覺雲viAct</p> <ul style="list-style-type: none"> 結合人工智能及視頻監測的一站式平台，用以檢測設備、安全及質量。 使用API及圖象化用戶界面，可進行自訂或預設檢測。 預設檢測包括: (i)人體及面部及身體屬性；(ii)物件；及(iii)動作。 <p>Artificial Intelligence Computer Vision Cloud (viAct)</p> <ul style="list-style-type: none"> A one-stop artificial intelligence and video surveillance platform for equipment, safety and quality detection. Uses API and graphical user interface, and can perform custom detection and predefined detection. Predefined detection includes detecting: (i) people and facial and body attributes; (ii) objects; and (iii) actions. |  |
| PA20-020 | 傳感器及物聯網 Sensors and IoT | EBSL Tel: 2345 1882 | <p>BLAXTAIR Pedestrian / Machinery Anti-collision Camera (只有英文名稱)</p> <ul style="list-style-type: none"> 用戶可設定檢測範圍，如有行人或物件進入預設範圍時，系統會在駕駛艙的屏幕上發出聲音警報及閃爍信號。 駕駛艙內的屏幕亦可透過感應器持續監測，從而保障工地附近行人的安全。 <p>BLAXTAIR Pedestrian / Machinery Anti-collision Camera</p> <ul style="list-style-type: none"> Allows users to set detection zone and provides audible alarm and flashing signals on the driver' s screen if pedestrians or objects detected within the set zone. A monitor installed in the cabin provides continuous footage captured by the sensor head, which helps ensure safety of pedestrians nearby. |  |
| PA20-025 | 傳感器及物聯網 Sensors and IoT | 數碼通電訊有限公司 SmarTone Mobile Communications Limited Tel: 3128 2467 | <p>智安健</p> <ul style="list-style-type: none"> 一個提升建築工人健康、安全及營運效率的綜合平台。 包含五個元素提升工地安全 - 包括智能頭盔能實時檢測工人的健康狀況、健康監察站可讓工人了解個人身體狀況、環境監察站監測工地環境、安全預警系統在工人靠近機械時發出警報及泥頭車管理。 <p>SmartWorks</p> <ul style="list-style-type: none"> An integrated platform to enhance construction workers' health, safety and operational efficiency. Incorporates five modules to promote and manage worksite safety - Smart Helmet for worker' s real-time condition sensing, SmartHealth Station for workers' health surveillance checking, Environmental Station for environmental monitoring, danger rader concerning of Safety Triggering System and Dump Truck Management. |  |

備註Remarks:

Legend 14 - Locally developed innovations or products

資料僅供參考，請與供應商聯絡了解詳情。For reference only. Please contact respective vendors for details.


建造業創新及科技基金安全相關預先批核科技
Construction Innovation and Technology Fund Safety-related Pre-approved Technologies

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|----------------------------|---|--|---|
| PA20-032 | 傳感器及物聯網 Sensors and IoT | 海宏技術有限公司 Transcendence Company Limited Tel: 2862 1724 | <p>超寬頻無線定位安全系統</p> <ul style="list-style-type: none"> 包含智能手錶和中央監測平台的工人即時定位系統。 透過超寬頻定位技術，即使在密閉空間仍可追蹤工人位置及健康參數。 <p>Ultra-wide Band Wireless Positioning Safety System</p> <ul style="list-style-type: none"> A "Worker Real-Time Positioning System incorporating smart watches and a central monitoring platform. Track workers' locations and health parameters even in sealed off space with ultra-wide band positioning technology |  |
| PA20-033 | 傳感器及物聯網 Sensors and IoT | 數碼通電訊有限公司 SmarTone Mobile Communications Limited Tel: 9451 4017 | <p>SmartWorks – 臨時升降機閘門警報裝置</p> <ul style="list-style-type: none"> 為未經許可下進入受限制的設備及禁區如升降機閘門提供警報。 減低工人在工地受傷及發生意外的機會。 <p>SmartWorks – Safety Alert System for Temporary Lift Shaft Gate</p> <ul style="list-style-type: none"> Provides alerts for unauthorised access to the restricted equipment and areas like lift shaft. Reduces the chance of injuries and accidents at construction site. |  |
| PA20-055 | 傳感器及物聯網 Sensors and IoT | 點子建有限公司 Beeinventor Limited Tel: 9757 2952 | <p>超寬頻防碰撞警報系統</p> <ul style="list-style-type: none"> 統採用最新的超寬頻技術。 機器安裝了超寬頻探測器後可設置虛擬工作範圍，當身上載有超寬頻標籤的工人進入有關範圍便會觸發警報，警告工人及操作員停止機器運作，避免碰撞意外。 有關精準度可達致全方位和公分程度。 <p>UWB Collision Warning System</p> <ul style="list-style-type: none"> Adopts the latest UWB - Ultra Wide Band technology. The plant with UWB detector sets a virtual working perimeter and any worker with an UWB tag entering the perimeter will trigger the alarm to warn workers and operator to stop the plant so as to prevent collision accidents. Accuracy is up to centimeter level and in all directions. <p>圖例 Legend: 14</p> |  |
| PA20-073 | 傳感器及物聯網 Sensors and IoT | 港進建機服務中心有限公司 Kong Chun Construction Machinery Services Centre Limited Tel: 2475 1083 | <p>鷹網智能監測系統</p> <ul style="list-style-type: none"> 鷹網智能監測系統用於重型建築機械。 提供360°全景鳥瞰合成影像，讓操作員可在駕駛艙內透過屏幕，全景檢測1米範圍內的障礙物，和實時獲取周圍環境之影像。 如有障礙物進入預設範圍時，系統會發出聲音警報和信號燈，從而保障機械附近工人的安全。 <p>I-Vision Smart Monitoring System 5.0</p> <ul style="list-style-type: none"> This safety monitoring system is installed on heavy construction plant for obstacles detection and real-time acquisition of surrounding environment. Provides synthesized image with 360° bird's-eye view, panoramic detection of obstacle within 1 metre. Activates siren and signal light when there are obstacles in the detection range, thus improving workers' safety when plant is in the operation. <p>圖例 Legend: 14</p> |  |

備註Remarks:

Legend 14 - Locally developed innovations or products

資料僅供參考，請與供應商聯絡了解詳情。For reference only. Please contact respective vendors for details.

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|----------------------------|---|---|---|
| PA20-085 | 傳感器及物聯網 Sensors and IoT | Hornbird Technology Limited Tel: 6705 0848 | <p>BLE Material & Attendance Tracker (只有英文名稱)</p> <ul style="list-style-type: none"> 以藍牙技術為本的位置和出勤系統，有助跟踪工人的確切位置，從而確保工人的安全。 系統備用三個模組，包括NearBy”、“realTime”及“safetyMeter” 模組。 <p>BLE Material & Attendance Tracker</p> <ul style="list-style-type: none"> A bluetooth-based location and attendance tracker and helps keep track of the exact locations of workers to maximise safety. Tracker consists of 3 modules -NearBy” , “realTime” and “safetyMeter” |  |
| PA20-090 | 傳感器及物聯網 Sensors and IoT | 佳智能有限公司 Customindz Limited Tel: 9125 3390 | <p>危險區域警報傳感系統</p> <ul style="list-style-type: none"> 一套安裝於建築車輛上的感應系統。 當途人路經或站在車輛附近時，顯示屏及揚聲器會發出警報予操作員，令操作機器時能夠確保工人的安全。 用戶可調整感應距離，亦能透過系統區分感應區域內非工人物件(例如車輛)，以避免虛報。 <p>Danger Zone Alert Sensing System</p> <ul style="list-style-type: none"> A sensing system installed on construction vehicles. Provides both visual alert on monitor and audio sound alert to operator when there are pedestrians walking or standing nearby the vehicle, thus ensuring workers' safety during plant operation. Allows users to adjust the zoning distance and exclude default objects (e.g. vehicles) to avoid false alarms. <p>圖例 Legend: 14</p> |  |
| PA20-116 | 傳感器及物聯網 Sensors and IoT | XenseTech Limited Tel: 5616 6382 | <p>恒高高精準定位及安全管理系統</p> <ul style="list-style-type: none"> 透過Ultra-wide Band (UWB)技術，可實現精準度達10厘米之定位，有效管理工人團隊，監測工人狀況及分佈，保障工人安全及提升管理質素。 系統同時透過不同配置提供高精準度警報，減少工地中常見之意外，提高地盤安全系數。 <p>EverHigh Precise Positioning & Safety Management System</p> <ul style="list-style-type: none"> Uses Ultra-wide Band (UWB) technology to achieve positioning with an accuracy of 10 cm, effectively managing the labor force, monitoring the status and distribution of workers, ensuring worker safety and improving management quality. Provides high-precision alarms through different configurations to reduce common accidents in construction sites and improve site safety. |  |
| PA20-119 | 傳感器及物聯網 Sensors and IoT | Karta-X Technologies Limited Tel: 3619 0620 | <ul style="list-style-type: none"> Karta-X_KACSA v2.0 AI Assisted Construction Safety Analytic (KACSA) (只有英文名稱) 具有AI分析工具的建築工地安全監控平台，可識別閉路電視拍攝所得的工人行為。 功能包括紀錄工人出勤和檢查PPE佩戴情況，識別機器以及檢測可疑人員，以實現更好的工地管理。 警報可以通過Web，電子郵件或APP傳遞。 <p>Karta-X AI Assisted Construction Safety Analytic (KACSA)</p> <ul style="list-style-type: none"> A construction site safety monitoring platform equipped with AI analytical tool for determining workers behavior captured by CCTVs. Functions include keeping track of workers' attendance and checking PPE compliance, machine identification |  |

備註Remarks:

Legend 14 - Locally developed innovations or products

資料僅供參考，請與供應商聯絡了解詳情。For reference only. Please contact respective vendors for details.

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|----------------------------|---|--|---|
| | | | and suspicious personnel detection for better site management. Alerts can be delivered by web, emails or APPs. | |
| PA21-028 | 傳感器及物聯網 Sensors and IoT | 智叻科技有限公司 Verdigris Technologies Inc. Taiwan Branch Website : https://verdigris.co/ | 建築能源監控決策輔助系統 非侵入式電錶·用於判斷用電是否正常/異常。 提供手機報表功能·進一步做能耗預測分析。 Buildings intelligent energy monitoring system A non-intrusive electricity meter for detection of irregularity in electricity power consumption. Provide visual reports for further energy consumption analysis. |  |
| PA21-031 | 傳感器及物聯網 Sensors and IoT | 海宏技術有限公司 Transcendence Company Limited Tel: 2862 1724 | 駕駛員狀態監測系統 透過紅外線鏡頭分析機械操作員的行為。 利用人工智能及大數據分析獲取的圖像·以辨識不安全及異常行為。 當發現不當行為時·會即時向駕駛員及工地管理人員發出警報。 Driver Status Monitor System Designed to analyse machine operator's behaviour via infra-red camera. Captured images are interpreted by artificial intelligence (A.I.) and big data to recognise unsafe and abnormal behaviours. Alerts driver and site management instantly when unwanted operator behaviour is spotted. |  |
| PA21-032 | 傳感器及物聯網 Sensors and IoT | 海宏技術有限公司 Transcendence Company Limited Tel: 2862 1724 | 智慧用電管理系統 協助管理人員遙控監測工地的用電量。 網站及流動應用程式可實時顯示用電量數據及報告供電相關的數據·有助技術人員識別電力系統中的故障。 Intelligent Electrical System Assists management staff in remote monitoring of a construction site's power usage. Both web portal and mobile app show real-time power consumption figures and reports electrical- supply-related data to help technicians identify faults in electrical system. |  |
| PA21-044 | 傳感器及物聯網 Sensors and IoT | 綠色安全科技有限公司 GreenSafety Technology Limited Tel: 2662 6460 | 方案一：高級駕駛輔助系統 + 睡意監測系統 方案二：高級駕駛輔助系統 方案三：睡意監測系統 高級駕駛輔助系統是一個雙鏡頭設備·透過提醒駕駛者可能出現的危險駕駛情況以協助其駕駛。它採用錄像分析技術進行探測。 睡意監測系統是一套精密的人臉識別技術。當系統探測到駕駛者疲倦或不良駕駛行為時會發出聲音警示。 Package A: Advanced Driving Assistance System (ADAS) + Drowsiness Monitoring System (DMS) Package B: Advanced Driving Assistance System (ADAS) Package C: Drowsiness Monitoring System (DMS) ADAS is a dual-camera device that provides real-time driving assistance by alerting driver of possible dangerous driving situations. Detection is made possible with the use of video analytics technology DMS uses sophisticated face recognition technology to provide audible and vibrating alerts when fatigue |  |

備註Remarks:

Legend 14 - Locally developed innovations or products

資料僅供參考·請與供應商聯絡了解詳情。For reference only. Please contact respective vendors for details.

| 編號 Code | 科技類型 Type of Technology | 銷售渠道 Distribution Channel | 產品名稱及描述 Product Name and Description | 參考圖片 Reference Photo |
|------------|----------------------------|--|--|---|
| | | | or bad driving behavior is detected. | |
| PA22-005 | 傳感器及物聯網 Sensors and IoT | iSafety Limited Tel: 2408 8008 | <p>A.I. Surveillance System for Construction Site Safety (只有英文名稱)</p> <ul style="list-style-type: none"> 結合人工智能 (A.I) 和5G物聯網(IoT) 技術的安全管理系統。 監察工友和車輛進入危險區域，並偵測未佩戴安全頭盔的工友。 實時監察，並即時發出警報，以便及時採取應對措施。 <p>A.I. Surveillance System for Construction Site Safety</p> <ul style="list-style-type: none"> A safety management system incorporating artificial intelligence (A.I) and 5G Internet of Things (IoT) technologies. Monitor workers or vehicles entering hazardous areas and detect workers not wearing safety helmets. Provide real-time monitoring and issue instant warnings for timely response. |  |
| PA22-011 | 傳感器及物聯網 Sensors and IoT | RaSpect Intelligence Inspection Limited https://raspect.ai/en/about/contact-us | <p>Raspect-ACE-Safety (只有英文名稱)</p> <ul style="list-style-type: none"> 用於監察工地活動和可移動機械的位置。 工地的感應器和攝影機分別收集數據和影像，經電腦分析後，可在平台查閱。 一偵測到安全問題時，可即時通知安全主任。 <p>Raspect-ACE-Safety</p> <ul style="list-style-type: none"> Monitor onsite activities and mobile plants location. Data collected through sensors and cameras on site can be inspected on platform after computer analysis. Issue alerts to safety officers when detecting unsafe incidents. <p>圖例 Legend: 14</p> |  |
| PA22-035 | 傳感器及物聯網 Sensors and IoT | Hong Kong Telecommunications (HKT) Limited | <p>Construction Machines Crash Detection System (只有英文名稱)</p> <ul style="list-style-type: none"> 通過傳感器來測量機械位置的碰撞檢測系統 (CDS)。 使用機械和結構的實時位置計算 3D 模型以判斷是否存在碰撞風險。 危險情況下會發出警報通知操作員立即採取行動以防止事故發生。 檢測系統可安裝到多台機器上，並能夠於惡劣天氣情況下運行。 <p>Construction Machines Crash Detection System</p> <ul style="list-style-type: none"> A Crash Detection System (CDS) using sensors to measure positions of machineries. Computes a 3D model with machineries and structures' real-time positions to assess potential risks of collision. Alerts operators to take immediate actions to prevent accidents. Compatible with multiple machineries and operable in adverse weather conditions. |  |

備註Remarks:

Legend 14 - Locally developed innovations or products

資料僅供參考，請與供應商聯絡了解詳情。For reference only. Please contact respective vendors for details.